

# Declaration of Performance

LE/DoP-Nr. 001/CPR/2013-06-26

1. Ident. code of the product type: BK THERM
2. Ident.-Nr.: 130625/THERM/758
3. Purpose of use: Outside door to the connection in the residential and non-residential construction without the requirements of fire and / or smoke leakage characteristics
4. Manufacturer: Samplecompany Oy  
Samplestr. 321  
A-3500 Samplecity  
Austria
5. Authorized: ./.
6. System of attestation of conformity: 3
7. Standardisation of the regulations: EN 14351-1:2006+A1:2010
8. Notified body: ift Rosenheim NB-No. 0757 has made a type test according to the system 3 and found the test reports for the main features of 9.1 to 9.4, 6.9 to 10.9.
9. Stated performance

Essential characteristics	Performance	Standardisation of the regulations
9.1 Wathertightness	1A	4.5; EN 14351-1:2006+A1:2010
9.2 Dangerous substances	-	4.6; EN 14351-1:2006+A1:2010
9.3 Resistance to wind load	B2	4.2; EN 14351-1:2006+A1:2010
9.4 Impact resistance	1	4.7; EN 14351-1:2006+A1:2010
9.5 Load-Bearing capacity of safty devices	-	4.8; EN 14351-1:2006+A1:2010
9.6 Height	3.000 mm	4.9; EN 14351-1:2006+A1:2010
9.7 Acoustic performance	47 dB (-2; -7)	4.11; EN 14351-1:2006+A1:2010
9.8 Thermal transmittance	1,0 W/m <sup>2</sup> K	4.12; EN 14351-1:2006+A1:2010
9.9 Radiation properties		
- Solar factor	0,55	4.13; EN 14351-1:2006+A1:2010
- Light transmittance	0,75	
9.10 Air permeability	2	4.14; EN 14351-1:2006+A1:2010

10. The performance of the product in accordance with paragraphs 1 and 2 corresponds to the declared performance in point 9.

Responsible for creating the declaration of performance is the manufacturer, specified in Section 4.  
Signed on behalf of the manufacturer and the name of the manufacturer:

ppa. Steve Sampleman, general manager

Samplecity, on the 26.06.2013